

Amendments to the Claims:


The following listing of claims replaces all prior versions, and listings, of claims in the application:

Listing of Claims:

1-36. (canceled)

37. (currently amended) A composition of matter comprising as an admixture at least one compound selected from group (i) and oxybutynin, wherein group (i) consists of:

1-phenyl-3-dimethylamino-propane compounds corresponding to formula I



wherein

X is OH, F, Cl, H or ~~OC(O)R⁷, where R⁷ is chosen from C₁₋₃-alkyl, branched or unbranched, saturated or unsaturated, unsubstituted or mono- or polysubstituted,~~

R¹ is chosen from C₁₋₄-alkyl, ~~branched or unbranched, saturated or unsaturated,~~ and unsubstituted or ~~mono- or polysubstituted,~~

R² and R³ in each case independently of one another are chosen from H or C₁₋₄-alkyl, ~~branched or unbranched, saturated or unsaturated,~~ and unsubstituted, ~~or mono- or polysubstituted, or R² and R³ together form a saturated C₄₋₇-cycloalkyl radical, unsubstituted or mono- or polysubstituted,~~

R⁹ to R¹³ in each case independently of one another are chosen from H, F, Cl, Br, I, CH₂F, CHF₂, CF₃, OH, SH, and OR¹⁴, OCF₃, SR¹⁴, NR¹⁷R¹⁸, SOCH₃, SOCF₃, SO₂CH₃, SO₂CF₃, CN, COOR¹⁴, NO₂, CONR¹⁷R¹⁸; C₁₋₆-alkyl, branched or unbranched, saturated or unsaturated, unsubstituted or mono- or polysubstituted; phenyl, unsubstituted or mono- or polysubstituted;

where R¹⁴ is chosen from C₁₋₆-alkyl, pyridyl, thienyl, thiazolyl, phenyl, benzyl or phenethyl, in each case unsubstituted or mono- or polysubstituted; PO(O-C₁₋₄-alkyl)₂, CO(OC₁₋₅-alkyl), CONH-C₆H₄-(C₁₋₃-alkyl), CO(C₁₋₅-alkyl), CO-CHR¹⁷-NHR¹⁸, CO-C₆H₄-R¹⁵, where R¹⁵ is ortho-OCOC₁₋₃-alkyl or meta- or para-CH₂N(R¹⁶)₂ where R¹⁶ is C₁₋₄-alkyl or 4-morpholino, wherein in the radicals R¹⁴, R¹⁵ and R¹⁶ the alkyl groups are branched or unbranched, saturated or unsaturated, and unsubstituted or mono- or polysubstituted; where R¹⁷ and R¹⁸ in each case independently of one another are chosen from H; C₁₋₆-alkyl, branched or unbranched, saturated or unsaturated, unsubstituted or mono- or polysubstituted; phenyl, benzyl or phenethyl, in each case unsubstituted or mono- or polysubstituted, or

R⁹ and R¹⁰ or R¹⁰ and R¹¹ together form an OCH₂O, OCH₂CH₂O, OCH=CH, CH=CHO, CH=C(CH₃)O, OC(CH₃)=CH, (CH₂)₄ or OCH=CHO ring,

or a salt of any of the foregoing with a physiologically tolerated acid.

38. (withdrawn) The composition of matter of claim 37, wherein one or more of said at least one compound selected from group (i) and oxybutynin is present in the form of a free base.

39. (previously presented) The composition of matter of claim 37, wherein one or more of said at least one compound selected from group (i) and oxybutynin is present in the form of a pure enantiomer or pure diastereoisomer.

40. (withdrawn) The composition of matter of claim 37, wherein one or more of said at least one compound selected from group (i) and oxybutynin is present in the form of a mixture of stereoisomers.

41. (withdrawn) The composition of matter of claim 40, wherein one or more of said at least one compound selected from group (i) and oxybutynin is present in the form of a racemic mixture.

42-47. (canceled)

48. (currently amended) The composition of matter of claim 37, wherein said at least one compound selected from group (i) is selected from the group of compounds corresponding to formula I wherein:

X is chosen from the group consisting of OH, F, ~~Cl~~, ~~OC(O)CH₃~~ and H,

R¹ is chosen from C₁₋₄-alkyl, saturated, ~~and unsubstituted, branched or~~ and unbranched;

R² and R³ independently of one another are chosen from the group consisting of H[[,]] and C₁₋₄-alkyl, saturated, ~~and unsubstituted, branched or~~ and unbranched; ~~or~~

~~R² and R³ together form a C₅₋₆-cycloalkyl radical, saturated or unsaturated, unsubstituted or mono- or polysubstituted,~~

R⁹ to R¹³ are independently chosen from the group consisting of H, ~~Cl~~, F, OH, ~~CF₂H~~, ~~CF₃~~ and C₁₋₄-alkyl, saturated and unsubstituted, branched or unbranched; and OR¹⁴ ~~or~~ SR¹⁴, where R¹⁴ is chosen from C₁₋₃-alkyl, saturated,

~~and~~ unsubstituted, and ~~branched or~~ unbranched; with the proviso that 3 or 4 of the radicals R⁹ to R¹³ must correspond to H; or
R¹² and R¹¹ form a 3,4-OCH=CH ring, ~~or~~
if R⁹, R¹¹ and R¹³ correspond to H, one of R¹⁰ or R¹² also corresponds to H while the other is ~~chosen from the group consisting of Cl, F, OH, CF₂H, CF₃, OR¹⁴ and SR¹⁴, or~~
if R⁹ and R¹³ correspond to H, and R¹¹ corresponds to ~~OH, OCH₃, Cl or F,~~ one of R¹⁰ or R¹² also corresponds to H while the other corresponds to ~~OH, OCH₃, Cl or F,~~ or
if R⁹, R¹⁰, R¹² and R¹³ correspond to H, R¹¹ is ~~chosen from CF₃, CF₂H, Cl or F, or~~
if R¹⁰, R¹¹ and R¹² correspond to H, one of R⁹ or R¹³ also corresponds to H while the other is chosen from the group consisting of ~~OH, OC₂H₅ and OC₃H₇.~~

49. (canceled)

50. (currently amended) The composition of matter of claim 37, wherein said at least one compound selected from group (i) is selected from the group of compounds corresponding to formula I wherein R¹ is CH₃, C₂H₅, or C₄H₉ ~~or t-butyl.~~


51. (currently amended) The composition of matter of claim 37, wherein said at least one compound selected from group (i) is selected from the group of compounds corresponding to formula I wherein R² and R³ independently of one another are chosen from the group consisting of H, CH₃, and C₂H₅, ~~i-propyl and t-butyl.~~

52-53. (canceled)

54. (currently amended) The composition of matter of claim 37, wherein said at least one compound selected from group (i) is selected from the group of

compounds corresponding to formula I wherein R^9 to R^{13} independently of one another are chosen from the group consisting of H, ~~Cl, F, OH, CF_2H , CF_3 , and OCH_3 and SCH_3~~ ; with the proviso that 3 or 4 of the radicals R^9 to R^{13} must correspond to H.

55. (previously presented) The composition of matter of claim 48, wherein compounds corresponding to formula I where $R^3 = H$ are in the form of diastereomers corresponding to formula Ia



and are provided in mixtures with a higher content of this diastereomer compared with the other diastereomer, or are provided as a pure diastereomer, or compounds corresponding to formula I are provided in the form of the (+)-enantiomer.

56. (previously presented) The composition of matter of claim 48, wherein compounds corresponding to formula I, are provided in mixtures with a higher content of the (+)-enantiomer compared with the (-)-enantiomer of a racemic compound or are provided as the pure (+)-enantiomer.

57. (currently amended) The composition of matter of claim 48, wherein said at least one compound selected from group (i) is selected from the group consisting of:

- (2RS,3RS)-1-dimethylamino-3-(3-methoxy-phenyl)-2-methyl-pentan-3-ol
- (2R,3R)-1-dimethylamino-3-(3-methoxy-phenyl)-2-methyl-pentan-3-ol,

- (+)-(2R,3R)-1-dimethylamino-3-(3-methoxy-phenyl)-2-methyl-pentan-3-ol,
 - ~~-(2RS,3RS)-3-(3,4-dichlorophenyl)-1-dimethylamino-2-methyl-pentan-3-ol,~~
 - ~~-(2RS,3RS)-3-(3-difluoromethyl-phenyl)-1-dimethylamino-2-methyl-pentan-3-ol,~~
 - ~~-(2RS,3RS)-1-dimethylamino-2-methyl-3-(3-methylsulfanyl-phenyl)-pentan-3-ol,~~
 - ~~-(3RS)-1-dimethylamino-3-(3-methoxy-phenyl)-4,4-dimethyl-pentan-3-ol,~~
 - ~~-(2RS,3RS)-3-(3-dimethylamino-1-ethyl-1-hydroxy-2-methyl-propyl)-phenol,~~
 - ~~-(1RS,2RS)-3-(3-dimethylamino-1-hydroxy-1,2-dimethyl-propyl)-phenol,~~
 - ~~-(+)-(1R,2R)-3-(3-dimethylamino-1-hydroxy-1,2-dimethyl-propyl)-phenol,~~
 - ~~-(+)-(1R,2R)-3-(3-dimethylamino-1-hydroxy-1,2-dimethyl-propyl)-phenol,~~
 - ~~-(1R,2R)-3-(3-dimethylamino-1-ethyl-2-methyl-propyl)-phenol,~~
 - ~~-(1R,2R)-3-(3-dimethylamino-1-ethyl-2-methyl-propyl)-phenol,~~
 - ~~-(1S,2S)-3-(3-dimethylamino-1-ethyl-2-methyl-propyl)-phenol,~~
 - ~~-(+)-(1S,2S)-3-(3-dimethylamino-1-ethyl-2-methyl-propyl)-phenol,~~
 - ~~-(+)-(1R,2R)-acetic acid 3-dimethylamino-1-ethyl-1-(3-methoxy-phenyl)-2-methyl-propyl ester,~~
 - ~~-(1RS)-1-(1-dimethylaminomethyl-cyclohexyl)-1-(3-methoxy-phenyl)-propan-1-ol,~~
 - ~~-(2RS,3RS)-3-(4-chlorophenyl)-1-dimethylamino-2-methyl-pentan-3-ol,~~
 - ~~-(+)-(2R,3R)-3-(3-dimethylamino-1-ethyl-1-hydroxy-2-methyl-propyl)-phenol,~~
 - (2RS,3RS)-4-dimethylamino-2-(3-methoxy-phenyl)-3-methyl-butan-2-ol, and
 - (+)-(2R,3R)-4-dimethylamino-2-(3-methoxy-phenyl)-3-methyl-butan-2-ol,
- and hydrochloride salts of the foregoing.

58-72. (canceled)

73. (previously presented) A pharmaceutical formulation comprising as an active compound combination a composition of matter according to claim 37 and at least one pharmaceutically suitable additive or auxiliary substance.